# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S180 | 1 | ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) near5 (hard ADJ drive OR disk$1 OR drive$1) near5 (priorit$3 OR prioritization) SAME ((cach$3) near5 (hit $4 OR miss$3) near5 ratio$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 13:13 |
| S181 | 13 | ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) WITH (hard ADJ drive OR disk$1 OR drive$1) WITH (priorit$3 OR prioritization) SAME2 ((cach$3) near5 (hit $4 OR miss$3) near5 ratio$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 13:15 |
| S182 | 13 | ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) WITH (hard ADJ drive OR disk$1 OR drive$1) WITH (priorit$3 OR prioritization) SAME2 ((cach$3) WITH (hit $4 OR miss$3) WITH ratio$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 13:22 |
| S183 | 35 | ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) WITH (hard ADJ drive OR disk$1 OR drive$1) WITH (priorit$3 OR prioritization) AND ((cach$3) WITH (hit $4 OR miss$3) WITH ratio$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 13:27 |

| S184 | 5 | ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) near5 (hard ADJ drive OR disk$1 OR drive$1) near5 (priorit$3 OR prioritization) AND ((cach$3) near5 (hit $4 OR miss$3) near5 ratio$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 13:27 |
|------|---|---|---|---|---|---|
| S185 | 5 | ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) near5 (hard ADJ drive OR disk$1 OR drive$1) near5 (priorit$3 OR prioritiz$6) AND ((cach$3) near5 (hit $4 OR miss$3) near5 ratio$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 13:39 |
| S186 | 0 | (execut$3 OR run$4) near5 (priorit$3 OR prioritiz$6) near5 ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) near5 (hard ADJ drive OR disk$1 OR drive$1) near5 (cach$3) near5 (hit$4 OR miss $3) near5 (ratio$1 OR count$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 13:55 |
| S187 | 0 | (execut$3 OR run$4) WITH (priorit$3 OR prioritiz$6) WITH ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) WITH (hard ADJ drive OR disk$1 OR drive$1) WITH (cach$3) WITH (hit$4 OR miss $3) WITH (ratio$1 OR count$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 13:56 |

| S188 | 9 | (execut$3 OR run$4) SAME (priorit$3 OR prioritiz$6) SAME ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) SAME (hard ADJ drive OR disk$1 OR drive$1) SAME (cach$3) SAME (hit$4 OR miss$3) SAME (ratio$1 OR count$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 13:56 |
|------|---|---|---|---|---|---|
| S189 | 3 | (execut$3 OR run$4) WITH (priorit$3 OR prioritiz$6) WITH ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) WITH (cach$3) WITH (hit$4 OR miss$3) WITH (ratio$1 OR count$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 14:03 |
| S190 | 31 | (execut$3 OR run$4) SAME (priorit$3 OR prioritiz$6) SAME ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) SAME (cach$3) SAME (hit$4 OR miss$3) SAME (ratio$1 OR count$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 14:07 |
| S191 | 4 | ("5185861" \| "5287508" \| "6073225" \| "6243788").PN. OR ("6615316").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/11/25 15:04 |
| S192 | 0 | (halt$3 OR stop$4) near5 (low near5 (priorit$3 OR affinit$3) near5 (process $2)) WITH ((cach$3) near5 (hit$4 OR miss $3) near5 (ratio$1 OR count$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 17:31 |

| S193 | 0 | (halt$3 OR stop$4) near5 (low near5 (priorit$3 OR affinit$3) near5 (process $2)) SAME ((cach$3) near5 (hit$4 OR miss $3) near5 (ratio$1 OR count$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 17:32 |
|------|---|---|---|---|---|---|
| S194 | 0 | (halt$3 OR stop$4) near5 (low near5 (priorit$3 OR affinit$3) near5 (process $2)) SAME ((cach$3) near5 (hit$4 OR miss $3) near5 (ratio$1 OR count$3 OR track $3 OR number$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 17:32 |
| S195 | 0 | (halt$3 OR stop$4) WITH (low near5 (priorit$3 OR affinit$3) near5 (process $2)) SAME ((cach$3) WITH (hit$4 OR miss $3) WITH (ratio$1 OR count$3 OR track $3 OR number$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 17:33 |
| S196 | 0 | (halt$3 OR stop$4) WITH (low$3 WITH (priorit$3 OR affinit $3) WITH (process $2)) SAME ((cach$3) WITH (hit$4 OR miss $3) WITH (ratio$1 OR count$3 OR track $3 OR number$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 17:33 |
| S197 | 0 | (halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3) WITH (low$3 WITH (priorit $3 OR affinit$3) WITH (process$2)) SAME ((cach$3) WITH (hit$4 OR miss $3) WITH (ratio$1 OR count$3 OR track $3 OR number$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 17:34 |

| S198 | 0 | (halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus$3) WITH (low$3 WITH (priorit$3 OR affinit$3) WITH (process$2)) SAME ((cach$3) WITH (hit$4 OR miss$3) WITH (ratio$1 OR count$3 OR track$3 OR number$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 17:34 |
|---|---|---|---|---|---|---|
| S199 | 16 | (halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus$3) SAME (low$3 SAME (priorit$3 OR affinit$3) SAME (process$2)) SAME ((cach$3) SAME (hit$4 OR miss$3) SAME (ratio$1 OR count$3 OR track$3 OR number$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 17:34 |
| S200 | 32 | (priorit$3 OR prioritiz$6) SAME ("input/output" OR "I/O" or input OR output OR read$3 OR writ$3) SAME (hard ADJ drive OR disk$1 OR drive$1) SAME (cach$3) SAME (hit$4 OR miss$3) SAME (ratio$1 OR count$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 18:01 |
| S201 | 0 | (halt$3 OR stop$4) near5 (low near5 (priorit$3 OR affinit$3) near5 (process$2)) SAME ((cach$3) near5 (hit$4 OR miss$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 18:59 |

| S202 | 0 | (halt$3 OR stop$4) near5 (low near5 (priorit$3 OR affinit$3) near5 (process$2)) SAME2 ((cach$3) near5 (hit$4 OR miss$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 18:59 |
| S203 | 0 | (halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus$3) near5 (low near5 (priorit$3 OR affinit$3) near5 (process$2)) SAME2 ((cach$3) near5 (hit$4 OR miss$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 18:59 |
| S204 | 2 | (halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus$3) WITH (low WITH (priorit$3 OR affinit$3) WITH (process$2)) SAME2 ((cach$3) near5 (hit$4 OR miss$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 19:00 |
| S205 | 2 | (halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus$3) WITH (low WITH (priorit$3 OR affinit$3) WITH (process$2 OR "input/output" OR "I/O" or input OR output OR read$3 OR writ$3)) SAME2 ((cach$3) near5 (hit$4 OR miss$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 19:01 |

| S206 | 176 | (halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus $3) near5 (low near5 (priorit$3 OR affinit$3) near5 (process$2 OR "input/output" OR "I/O" or input OR output OR read$3 OR writ$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 19:02 |
|------|-----|------|------|-----|-----|------|
| S207 | 404 | (halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus $3) near5 (low$3 near5 (priorit$3 OR affinit$3) near5 (process$2 OR "input/output" OR "I/O" or input OR output OR read$3 OR writ$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 19:02 |
| S208 | 0 | (halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus $3) near5 (low$3 near5 (priorit$3 OR affinit$3) near5 (process$2 OR "input/output" OR "I/O" or input OR output OR read$3 OR writ$3)) SAME2 ((cach$3) near5 (hit $4 OR miss$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 19:06 |

| S209 | 1 | (halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus$3) near5 (every near5 low$3 near5 (priorit$3 OR affinit$3) near5 (process$2 OR "input/output" OR "I/O" or input OR output OR read$3 OR writ$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 19:08 |
|---|---|---|---|---|---|---|
| S210 | 1 | (halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus$3) near5 ((every OR each) near5 low$3 near5 (priorit$3 OR affinit$3) near5 (process$2 OR "input/output" OR "I/O" or input OR output OR read$3 OR writ$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/25 19:08 |
| S211 | 1 | (halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus$3) near5 (every near5 low$3 near5 (priorit$3 OR affinit$3) near5 (process$2 OR "input/output" OR "I/O" or input$4 OR output$4 OR read$3 OR writ$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/26 09:50 |
| S212 | 0 | ((maximum OR max) near5 (number$1 OR amount$1 OR quantit$3) near5 ((high OR top OR first) near2 (priorit$3))) SAME (new near2 (task$1 OR function$1 OR job$1)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 09:52 |

| S213 | 8 | ((maximum OR max) near5 (number$1 OR amount$1 OR quantit$3) near5 ((high OR top OR first) near2 (priorit $3))) AND (new near2 (task$1 OR function$1 OR job $1)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:08 |
|------|---|---|---|---|---|---|
| S214 | 2 | (maximum OR max) near5 (number$1 OR amount$1 OR quantit$3) near5 ((high OR top OR first) near2 (priorit $3)) near5 (task$1 OR function$1 OR job$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:08 |
| S215 | 3 | (maximum OR max) near5 (number$1 OR amount$1 OR quantit$3 OR threshold$1) near5 ((high OR top OR first) near2 (priorit $3)) WITH (task$1 OR function$1 OR job$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:08 |
| S216 | 1 | (halt$3 OR stop$4 OR end$3 OR terminat$3 OR suspend$3 OR hibernat$3 OR paus $3) near5 (every near5 low$3 near5 (priorit$3 OR affinit $3) near5 (process $2 OR "input/ output" OR "I/O" or input$4 OR output$4 OR read$3 OR writ $3 OR job$1 OR task $1 OR function$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:10 |

| S217 | 20 | (maximum OR max) WITH (number$1 OR amount$1 OR quantit$3 OR threshold$1) WITH ((high OR top OR first) near2 (priorit $3)) WITH (task$1 OR function$1 OR job$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:12 |
|------|----|----|----|----|----|----|
| S218 | 60 | (maximum OR max) near5 (number$1 OR amount$1 OR quantit$3) near3 ((high OR top OR first) ADJ (priorit$3)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:12 |
| S219 | 10 | (maximum OR max) near5 (number$1 OR amount$1 OR quantit$3) near3 ((high OR top OR first) ADJ (priorit$3) near5 (process$1 OR task$1 OR function $1 respons$2 OR read$3 OR writ$3 OR operat$4 OR command$3 OR instruct$4 OR stag$3 OR destag$3 OR de-stag$3)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:12 |
| S220 | 99 | (maximum OR max) near5 (number$1 OR amount$1 OR quantit$3) near5 ((high OR top OR first) near2 (priorit $3)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:12 |
| S221 | 40 | (maximum OR max) near5 ((high OR top OR first) near2 (priorit$3)) near5 (process$1 OR task $1 OR function$1 OR read$3 OR writ $3) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:12 |

| S222 | 57 | ((high OR top OR first) near2 (priorit $3)) near5 ((new or additional OR another) near2 (process$1 OR task$1 OR function$1 OR read$3 OR writ $3)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:12 |
|---|---|---|---|---|---|---|
| S223 | 65 | (limit$3 OR restrict $3) near5 ((high OR top OR first) near2 (priorit$3)) near5 (process$1 OR task $1 OR function$1 OR read$3 OR writ $3) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:13 |
| S224 | 1271 | (input$4 OR creat $3) near3 (new ADJ (task$1 OR function $1)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:13 |
| S225 | 1 | S224 SAME ((high OR top OR first) near2 (priorit$3)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:13 |
| S226 | 70 | S224 SAME ((priorit $3)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:13 |
| S227 | 59 | (US-20040162941-$ or US-20040205300-$ or US-20040205298-$ or US-20050172080-$ or US-20020141379-$ or US-20030223453-$ or US-20040039869-$ or US-20030014603-$ or US-20020053006-$ or US-20010042090-$ or US-20040117791-$ or US-20040006604-$ or US-20030023815-$ or US-20030172104-$ or US-20040054998-$).did. or (US-5542066-$ or US-6748487-$ or US-6557079-$ or US- | US-PGPUB; USPAT; EPO; DERWENT | OR | ON | 2008/11/26 10:13 |

| | | 6418510-$ or US-6145058-$ or US-6085287-$ or US-5983318-$ or US-5933853-$ or US-5933848-$ or US-5918244-$ or US-5930486-$ or US-5499354-$ or US-5787467-$ or US-5893139-$ or US-5608890-$ or US-5881266-$ or US-5867735-$ or US-5394531-$ or US-6308245-$ or US-7080379-$ or US-4720711-$ or US-6128672-$ or US-4920483-$ or US-6154681-$ or US-5274813-$ or US-6615316-$).did. or (US-6351844-$ or US-5559984-$ or US-6411982-$ or US-5542088-$ or US-5437032-$ or US-4750116-$ or US-6223256-$ or US-5943681-$ or US-5906000-$ or US-6604174-$ or US-6081871-$ or US-5367656-$ or US-5619676-$).did. or (EP-652513-$ or EP-400500-$).did. or (US-20040162941-$ or EP-400500-$ or CN-1716868-$).did. | | | | |
|---|---|---|---|---|---|---|
| S228 | 0 | (input$4 OR creat$3) near3 (new ADJ (task$1 OR function$1)) AND S227 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:13 |
| S229 | 7 | (new ADJ (task$1 OR function$1)) AND S227 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:13 |

| S230 | 1 | high$3 ADJ priorit$3 near5 (cache ADJ hit near3 ratio$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:14 |
|---|---|---|---|---|---|---|
| S231 | 4 | high$3 ADJ priorit$3 WITH (cache ADJ hit near3 ratio$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:14 |
| S232 | 0 | (high$3 ADJ priorit $3 near5 (task$1 OR process$2 OR read $3 OR writ$3)) SAME (cache ADJ hit near5 ratio$1 near5 (level$1 OR threshold $1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:14 |
| S233 | 2 | (high$3 ADJ priorit $3 near5 (task$1 OR process$2 OR read $3 OR writ$3)) AND (cache ADJ hit near5 ratio$1 near5 (level $1 OR threshold$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:14 |
| S234 | 0 | (priorit$3 near5 (task $1 OR process$2 OR read$3 OR writ$3)) WITH (cache ADJ hit near5 ratio$1 near5 (level$1 OR threshold $1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:14 |
| S235 | 7 | (priorit$3 near5 (task $1 OR process$2 OR read$3 OR writ$3)) WITH (cache ADJ hit near5 ratio$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/26 10:14 |

11/26/2008 10:37:00 AM
C:\Documents and Settings\mkrofcheck\My Documents\Files from Applications
\10750954\10750954.wsp